

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7002875	@ad< "20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:08
L2	5	L1 and (reencrypt\$3) with (less weak weaker smaller)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:08
L3	7002875	@ad< "20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:08
L4	14	L3 and verif\$5 near3 data same encrypt\$5 near3 data same generat\$5 near3 key same data near3 (storage memory ram)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:08
L5	612	L3 and 713/165.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:10
L6	0	5 and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/10/27 15:10
S1	6878895	@ad< "20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:13
S2	590	S1 and secure with execut \$5 with environment	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:14
S3	231	S2 and generat\$5 with key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:24
S4	131	S3 and verif\$5 with (storage memory stor\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:15
S5	148	S3 and (verif\$5 integrity) with (storage memory stor \$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:54

S6	5656	S5 address near5 (scrambl\$5 reorder\$3 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:24
S7	38	S5 and address near5 (scrambl\$5 reorder\$3 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:19
S8	8	S7 not ginter.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:54
S9	177	S1 and generat\$5 with key same encrypt\$5 with Ram	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:51
S10	50	S9 and address near5 (scrambl\$5 reorder\$3 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:53
S11	13	S9 and encryption adj mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:50
S12	8	S9 and secure adj mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:51
S13	13	S9 and secure adj (mode environment)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:19
S14	1182	S1 and secure with environment and encrypt \$5 with (storage memory)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:53
S15	172	S14 and address near5 (scrambl\$5 reorder\$3 encrypt\$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:54
S16	101	S15 and (verif\$5 integrity) with (storage memory stor \$5)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 13:54
S17	71	S16 not ginter.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:37
S18	62	S17 not walmsley.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:37

S19	62	S1 and secure with environment and generat\$5 with key same verif\$5 with (integrity signature hash\$3) same encrypt\$5 with (data program file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:33
S20	376365	"196" not ginter.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:37
S21	62	S19 not ginter.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:37
S22	62	S21 not ginter.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 14:37
S23	53	S22 not walmsley.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 15:36
S24	13	S1 and verif\$5 near3 data same encrypt\$5 near3 data same generat\$5 near3 key same data near3 (storage memory ram)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/08 15:40
S25	6878895	@ad< "20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:23
S26	920	S25 and key near4 address with encrypt\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:23
S27	698	S25 and key near3 address with encrypt\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:23
S28	573	S25 and key near3 address with encrypt\$5 near3 key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:24
S29	344	S28 and ("380"/\$.ccls. "713"/\$.ccls. "726"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 11:24
S30	590	S25 and secure with execut\$5 with environment	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 12:30

S31	39	S30 and (mac message adj authentication adj code) with key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 12:34
S32	1	S30 and processor with secure adj mode and unsecure adj mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 12:35
S33	16	S30 and processor with secure adj mode	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 14:09
S34	6892518	S25 amd 713/190.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 14:10
S35	259	S25 and 713/190.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 14:10
S36	0	S25 and 713/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 14:10
S37	242	S25 and 726/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/09 14:10
S38	2	("6975565" "7149901"). pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/15 13:52
S39	2	("6970565" "7149901"). pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/08/15 13:52
S40	6979096	@ad< "20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/11 08:58
S41	97	S40 and strong\$2 with encrypt\$2 with decrypt\$5 same encrypt\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/11 08:58
S42	9	S40 and strong\$2 with encrypt\$2 with decrypt\$5 same encrypt\$5 with (weak\$2 less)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/11 08:58
S43	11	S40 and strong\$2 with encrypt\$2 with decrypt\$5 same (weak\$2 less near2 strong)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/11 09:07

S44	6980137	@ad<"20040319"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/17 10:58
S45	5	S44 and (reencrypt\$3) with (less weak weaker smaller)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/17 10:58
S46	1	"6333983".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/09/30 15:17

10/ 27/ 08 3:10:54 PM

C:\Documents and Settings\analven\My Documents\EAST\Workspaces\10-804855.wsp